



MEMBER
THE INDIAN PAINT ASSOCIATION



Jai Kamal Paints

MANUFACTURERS OF PAINTS & VARNISH

JAICHLOR

ROAD MARKING PAINT

DESCRIPTION	:	A high build chlorinated rubber base air drying top coat for drawing line markings on Asphalt as well as concrete roads. It is designed to provide maximum flexibility, outstanding resistance against extreme chemical attack – acid, alkali and mild chemicals. Offers exceptional water impermeability.
TYPE	:	Single pack; Air Drying
COMPOSITION	:	Special Chlorub binder, suitably pigmented with fillers.
COLOURS	:	White and Yellow
APPLICATION	:	by Brush
THEORETICAL COVERAGE	:	9-10 Sqmts. Per ltr.
RECOMMENDED DFT	:	40-50 Microns per coat
DRYING TIME	:	10-15 minutes
OVER COATING INTERVAL	:	Minimum 6 hrs.
FLASH POINT	:	Above 23 °C
THINNER RECOMMENDED	:	'JAICHLOR' Chlorinated Thinner
FINISH	:	Matt
TEMPERATURE RESISTANCE	:	60-75 °C
STORAGE	:	Upto 9 months. Material to be kept in original sealed container in dry place under normal temperature conditions.

(THE INFORMATION IN THIS LEAFLET IS GIVEN IN GOOD FAITH, BUT WITHOUT WARRANTY)

'THE DECORATIVE PROTECTION THAT STANDS THE TEST OF TIME'

(Old No.70) New No 169 MS KOIL STREET, ROYAPURAM, CHENNAI-600 013, Ph 2598 1323 2595 6660